

**SAFETY DATA SHEET**

It complies with the KKDİK (REGULATION ON REGISTRATION,EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS), Annex II Regulation on Requirements for the Preparation of Safety Data Sheets published in the Official Gazette No. 30105 dated 23.06.2017.

**SECTION 1: Identification of the substance/mixture and of the company/ undertaking**

**1.1 Product identifier**

Product code : K101033  
 Product name : Ammonium thiocyanate  
 KKDIK Reg. No: 0  
 KKDIK Reg. Name: 0

Date of issue / Date of revision: 08.04.2024

Version: 1,0

**1.2 Relevant identified uses of the substance or mixture and uses advised against identified uses**

**Relevant identified uses**

Laboratory chemical

Uses advised against	Reason
Not applicable	

**1.3 Details of the supplier of the safety data sheet**

Manufacturer/ Distributor: Yenilab Laboratuvar ve Eğitim Gereçleri Kimya San. Tic. Ltd. Şti.  
 Çelebiler Mh. Çelebiler Cd. No: 28/2 Adapazarı / Sakarya

e-mail address of person responsible for this SDS: [info@guvenlikbilgiformu.net](mailto:info@guvenlikbilgiformu.net)

**1.4 Emergency telephone number**

**National advisory body/Poison Center**

Telephone number: T. C. Ministry of Health National Poison Information Center Phone Number: 114

**Supplier**

Telephone number: 8503029450 (9:00am -5:00pm)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Product definition: Substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute toxicity 4

Acute toxicity 4

Acute toxicity 4

Hazardous to the aquatic environment aquatic chronic 3

Serious eye damage 1

See Section 16 for the full text of the statements declared above.  
See Section 11 for more detailed information on health effects and symptoms.

**2.2 Label elements**

**Hazard pictograms :**



**Signal word :**

GHS05      GHS07  
Danger

**Hazard statements :**

H302 Harmful if swallowed.	Oral
H312 Harmful in contact with skin.	Skin
H332 Harmful if inhaled.	Inhalation
H412 Harmful to aquatic life with long lasting effects.	
H318 Causes serious eye damage.	
EUH032 Contact with acids liberates very toxic gas.	

**Precautionary statements**

**Prevention :**

P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.

**Response :**

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P330 Rinse mouth.  
P302+352 IF ON SKIN: Wash with plenty of water/....  
P310 Immediately call a POISON CENTER/doctor/...  
P321 Specific treatment (see ... on this label).  
P361+364 Take off immediately all contaminated clothing and wash it before reuse.  
P304+340 IF INHALED:  
Remove person to fresh air and keep comfortable for breathing.  
  
P312 Call a POISON CENTER/doctor/.../if you feel unwell.  
P305-351-338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
  
P310 Immediately call a POISON CENTER/doctor/...



SIGNAL WORD at %100	Tehlike/Danger	0	, ,
GHS NOs	GHS07, GHS05, , , , , , , &	0	, ,
		0	, ,
		0	, ,
		0	, ,
		0	, ,
		0	, ,
		0	, ,

Datas have taken from "ECHA - Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation) & REACH Registration Joint Submission" and if exist from supplier raw material SDS'

Check Section 16 for full explanations for H Expressions written above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
  - [2] Substance with a workplace exposure limit
  - [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
  - [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
  - [5] Substance of equivalent concern
  - [6] Additional disclosure due to company policy
- Occupational exposure limits, if available, are listed in Section 8.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General :** In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.

**Inhalation :** Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

**Skin contact :** Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.

**Eye contact :** Check for and remove any contact lenses. Immediately flush eyes with room temperature water for at least 15 minutes, keeping eyelids open. In case of accidental eye contact, avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of the eyes.

**Ingestion :** If swallowed, seek medical advice immediately and show this container or label.

Keep person warm and at rest. Do NOT induce vomiting.

**Protection of first-aiders :** No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.  
Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

**4.2 Most important symptoms and effects, both acute and delayed**

There are not available on the mixture itself. Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

Exposure to component vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

May cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin

If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

May produce an allergic reaction.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to medical doctor :** In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments :** No data available.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

if available, relevant information was taken from raw material safety data sheets, or from the ICSC database on the ILO-International Labor Organization website.

**Suitable extinguishing media:** No data available

**Unsuitable extinguishing media :** Do not use pressurized water.

**5.2 Special hazards arising from the substance or Mixture :**

**Hazards arising from the substance or Mixture :** No data available

**Hazardous thermal decomposition Products :** No data available

**5.3 Advice for firefighters**

**Special Protective action for fire fighters :** Not available

**Special protective equipment For fire fighters:** Positive pressurized complete respiratory instrument (SCBA) and EN 469 compatible equipment must be used.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel :** Exclude sources of ignition and ventilate the area. Avoid breathing vapor or mist.  
Refer to protective measures listed in sections 7 and 8.

**For emergency responders :** If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions :** Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations

**6.3 Methods and materials for containment and cleaning up:** Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local

regulations (see Section 13). Preferably clean with a detergent. Avoid using solvents.

**6.4 Reference to other sections :**  
 See Section 1 for emergency contact information.  
 See Section 8 for information on appropriate personal protective equipment.  
 See Section 13 for additional waste treatment information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

**Protective measures:**  
 The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard.  
 Keep container tightly closed. Keep away from heat, sparks and flame.  
 No sparking tools should be used.  
 Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this mixture. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.  
 Put on appropriate personal protective equipment (see Section 8).  
 Never use pressure to empty. Container is not a pressure vessel.  
 Always keep in containers made from the same material as the original one.  
 Comply with the health and safety at work laws.

**Advice on general occupational hygiene:**

**7.2 Conditions for safe storage, including any incompatibilities :**  
 Store in accordance with local regulations

**Notes on joint storage**

Keep away from: Metal, powder, organic substances, oxidizing agents, strong alkalis, strong acids.

**Additional information on storage conditions**

Observe label precautions.  
 Store in a dry, cool and well-ventilated area.  
 Keep away from heat and direct sunlight.  
 Keep away from sources of ignition  
 No smoking.  
 Prevent unauthorized access.  
 Keep container tightly closed.  
 Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

**7.3 Specific end use(s) Recommendations :**  
 For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

**Industrial sector specific solutions:** No data available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

Occupational exposure limits

Product/ingredient name	Exposure limit values
No data available.	No data available.

**Recommended monitoring procedures :** If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNEL's/DMEL's

EC / List no.	Name	CAS Number
<b>217-175-6</b>	<b>Ammonium thiocyanate</b>	<b>1762-95-4</b>

Data for WORKERS  
 INHALATION Exposure      Threshold      Most sensitive study  
 Systemic Effects  
 Long-term:                      (DNEL) 2.8 mg/m<sup>3</sup>      repeated dose toxicity  
 Acute /short term:              No hazard identified  
 Local Effects  
 Long-term:                      Hazard unknown (no further information necessary)  
 Acute /short term:              Hazard unknown (no further information necessary)  
 DERMAL Exposure              Threshold              Most sensitive study  
 Systemic Effects  
 Long-term:                      (DNEL) 4 mg/kg bw/day      repeated dose toxicity  
 Acute /short term:              No hazard identified  
 Local Effects  
 Long-term:                      No hazard identified  
 Acute /short term:              No hazard identified  
 EYE Exposure  
 Medium hazard (no threshold derived)  
 Data for the GENERAL POPULATION  
 INHALATION Exposure      Threshold              Most sensitive study

Systemic Effects  
 Long-term: (DNEL) 700 µg/m³ repeated dose toxicity  
 Acute /short term: No hazard identified  
 Local Effects  
 Long-term: No hazard identified  
 Acute /short term: No hazard identified  
 DERMAL Exposure Threshold Most sensitive study  
 Systemic Effects  
 Long-term: (DNEL) 2 mg/kg bw/day repeated dose toxicity  
 Acute /short term: No hazard identified  
 Local Effects  
 Long-term: No hazard identified  
 Acute /short term: No hazard identified  
 ORAL Exposure Threshold Most sensitive study  
 Systemic Effects  
 Long-term: (DNEL) 200 µg/kg bw/day repeated dose toxicity  
 Acute /short term: No hazard identified  
 EYE Exposure  
 No hazard identified

**PNEC's**

EC / List no.	Name	CAS Number
217-175-6	Ammonium thiocyanate	1762-95-4

Hazard for Aquatic Organisms  
 Freshwater 95 µg/L (1)  
 Intermittent releases (freshwater) 27.2 µg/L (1)  
 Marine water 9.5 µg/L (1)  
 Intermittent releases (marine water) -  
 Sewage treatment plant (STP) 30 mg/L (1)  
 Sediment (freshwater) 543 µg/kg sediment dw (1)  
 Sediment (marine water) 54.3 µg/kg sediment dw (1)  
 Hazard for Air  
 Air No hazard identified (1)  
 Hazard for Terrestrial Organism  
 Soil 6.336 mg/kg soil dw (1)  
 Hazard for Predators  
 Secondary poisoning 1.667 mg/kg food (1)

**8.2 Exposure controls**

**Appropriate engineering controls:**

Provide adequate ventilation. Avoid inhaling. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general **extraction. If these are not sufficient to maintain concentrations of** particulates and solvent vapors below the OEL, suitable respiratory protection must be worn.

**Individual protection measures**

**Hygiene measures :**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection :**

Use safety eyewear designed to protect against splash of liquids according to EN166.

**Skin protection :**

**Hand protection :**

**Gloves :**

Wear suitable gloves tested to EN374. There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

**Body protection :**

Personnel should wear antistatic clothing made of natural fibers or of hightemperature-resistant synthetic fibers.

**Respiratory protection :**

If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

**Environmental exposure controls :**

Do not allow to enter drains or watercourses.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

Physical state, appearance : Solid  
 Color : No data available

Odor :	Odourless
Odor threshold :	No data available
Melting point/freezing point :	151 °C @ 101.325 kPa [1]
Flash point :	No data available
Flammability (solid, gas):	No data available
pH :	No data available
Up and down flame. or explosion limits :	No data available
Density :	1.31 g/cm <sup>3</sup> @ 20 °C [1]
First boiling point and range :	No data available
Evaporation rate :	No data available
Vapor pressure :	0.015 Pa @ 20 °C [1]
Vapor density :	No data available
Relative density :	No data available
Solubility(ies) :	1 000 g/L @ 20 °C and pH 4.8 [1] in water
Partition coefficient: n-octanol/ wa	No data available
Auto-ignition temperature :	No data available
Decomposition temperature :	No data available
Viscosity :	No data available
Explosive properties :	No data available
Oxidizing properties :	No data available

## 9.2 Other information

VOC % No data available

## SECTION 10: Stability and reactivity

**10.1 Reactivity :** No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability :** Stable under recommended storage and handling conditions (see Section 7).

**10.3 Possibility of hazardous reactions :** Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid :** When exposed to high temperatures may produce hazardous decomposition products.

**10.5 Incompatible materials :** Keep away from the following materials to prevent strong exothermic reactions:  
Metal, powder, organic substances, oxidizing agents, strong alkalis, strong acids.

**10.6 Hazardous decomposition products :** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

There are not available on the mixture itself. Procedure used to derive the classification according to

Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.  
 Exposure to component vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.  
 Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.  
 If splashed in the eyes, the liquid may cause irritation and reversible damage.  
 This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

**11.1 Information on toxicological effects**

**Acute toxicity**

Acute toxicity 4- Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Irritation/Corrosion**

Serious eye damage 1- Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Sensitization**

The product has not been tested. Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Mutagenicity**

The product has not been tested. Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Carcinogenicity**

The product has not been tested. Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Reproductive toxicity**

The product has not been tested. Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Teratogenicity**

The product has not been tested. Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Specific target organ toxicity (single exposure)**

The product has not been tested. Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Specific target organ toxicity (repeated exposure)**

The product has not been tested. Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Aspiration hazard**

The product has not been tested. Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**SECTION 12: Ecological information**

There are not available on the mixture itself.  
Do not allow to enter drains or watercourses.

**Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS].**

**12.1 Toxicity**

Hazardous to the aquatic environment aquatic chronic 3- Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**12.2 Persistence and degradability**

The product has not been tested. Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**12.3 Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
No data available			

**12.4 Mobility in soil**

Soil/water partition coefficient (KOC): No data available  
Mobility : No data available

**12.5 Results of PBT and vPvB assessment**

PBT : Not applicable.  
vPvB : Not applicable.

**12.6 Other adverse effects :** No known significant effects or critical hazards.

**SECTION 13: Disposal considerations**

Do not allow to enter drains or watercourses.  
Dispose of according to all federal, state and local applicable regulations.  
If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

**13.1 Waste treatment methods**

**Product disposal methods:** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Packaging disposal methods :** The generation of waste should be avoided or minimized wherever

possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**European Waste Catalogue (EWC) Special precautions :**

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**SECTION 14: Transport information**

	<b>ADR/RID</b>	<b>ADN</b>	<b>IMDG</b>	<b>IATA</b>
<b>14.1 UN number</b>	Not regulated*	Not regulated*	Not regulated*	Not regulated*
<b>14.2 UN proper shipping name</b>	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3 Transport hazard class(es) &amp; class. Code</b>	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4 Packing group</b>	-	-	-	-
<b>14.5 Environmental hazards</b>	No	No	No	No
<b>Additional information (Tunnel restriction code)</b>	No tunnel code is applied	-	-	-

**14.6 Special Precautions for use:** Transport within user's premises: always transport in closed containers

that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk :** No data available  
**according to Annex II of MARPOL 73/78 and the IBC Code**

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:** Not applicable.

**Other EU regulations**

**Industrial use :** The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

**15.2 Chemical Safety Assessment :** No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

**Abbreviations and acronyms :** ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number

**Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Classification	Justification
Acute toxicity 4	Calculation method
Acute toxicity 4	
Acute toxicity 4	
Hazardous to the aquatic environment aquatic chronic 3	
Serious eye damage 1	

Full text of abbreviated H statements:	Exposure way
H302 Harmful if swallowed.	Oral
H312 Harmful in contact with skin.	Skin
H332 Harmful if inhaled.	Inhalation
H412 Harmful to aquatic life with long lasting effects.	0
H318 Causes serious eye damage.	0
EUH032 Contact with acids liberates very toxic gas.	0

**Full text of classifications [CLP/GHS] :**

Acute toxicity 4
Acute toxicity 4
Acute toxicity 4

Hazardous to the aquatic environment aquatic chronic 3
Serious eye damage 1

**Date of printing:** 18.04.2024 21:34  
**Date of issue/date of revision:** 8.04.2024  
**Date previous of issue:** NOT AVAILABLE  
**Version:** 1,0

Legal Information: This document has been prepared in accordance with the "KKDİK (REGULATION ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS -ANNEX II" is dated June 23, 2017 date and numbered 30105 and has been prapered and approved by accredited specialist who is certified as stipulated the regulation.

Material Safety Data Sheet Prepared by : **ÖNDER İŞLEK**  
Specialist email Address: [info@guvenlikbilgiformu.net](mailto:info@guvenlikbilgiformu.net)  
Specialist Accreditation No: **TÜV / 11.42.06**  
Specialist Accreditation Valid Until: **30.09.2025**

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws.

The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.